

Table Eng. 5.--Sanitary Facilities

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
2Hb: HOBBS-----	100	Very limited Flooding Restricted permeability	1.00 0.50	Very limited Flooding Seepage	1.00 0.50
2Hd: HORD-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
2HdA: HORD-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
2Iz: BOEL-----	100	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
2ThA: BOELUS-----	100	Very limited Filtering capacity Restricted permeability	1.00 0.50	Very limited Seepage	1.00
5ThA: THURMAN-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
Be: BELFORE-----	100	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.53
BO: PSAMMENTS-----	100	Somewhat limited Slope	0.16	Very limited Slope	1.00
CfD2: CROFTON-----	100	Somewhat limited Slope Restricted permeability	0.63 0.50	Very limited Slope Seepage	1.00 0.50

Table Eng. 5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CfE2: CROFTON-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
CNC2: CROFTON-----	60	Somewhat limited Restricted permeability Slope	0.50 0.16	Very limited Slope Seepage	1.00 0.50
NORA VARIANT-----	40	Very limited Restricted permeability Slope	1.00 0.04	Very limited Slope Seepage	1.00 0.50
CND2: CROFTON-----	60	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
NORA-----	40	Very limited Restricted permeability Slope	1.00 0.96	Very limited Slope Seepage	1.00 0.50
CNE: CROFTON-----	60	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
NORA-----	40	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
Cz: CASS-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
Ea: ELSMERE-----	100	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00
Eb: ELSMERE-----	100	Very limited Depth to saturated zone Filtering capacity	1.00 1.00	Very limited Seepage Depth to saturated zone	1.00 1.00

Table Eng. 5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Fm: FILLMORE-----	100	Very limited Restricted permeability Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
Ga: GANNETT-----	100	Very limited Ponding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Ponding Seepage Depth to saturated zone	1.00 1.00 1.00
GP: Pits-----	100	Not Rated		Not Rated	
Ha: HALL-----	100	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
HaA: HALL-----	100	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
Hb: SHELL-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
Hd: HORD-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
HdA: HORD-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50
HdB: HORD-----	100	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
HO: HORD-----	70	Somewhat limited Restricted permeability	0.50	Somewhat limited Seepage	0.50

Table Eng. 5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
ORTELO-----	30	Somewhat limited Restricted permeability	0.50	Very limited Seepage	1.00
HSzA: HALL-----	70	Very limited Restricted permeability	1.00	Somewhat limited Seepage	0.50
GAYVILLE-----	30	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
INT: Aquolls-----	100	Not Rated		Not Rated	
Iz: INAVAL-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
Lb: LAMO-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Le: LESHARA-----	100	Very limited Flooding Depth to saturated zone Restricted permeability	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.50
Lh: CROFTON-----	100	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
LlB2: LORETTO-----	100	Somewhat limited Restricted permeability	0.46	Very limited Seepage Slope	1.00 0.68

Table Eng. 5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
Lm:					
LOUP-----	100	Very limited		Very limited	
		Flooding	1.00	Ponding	1.00
		Ponding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Seepage	1.00
		Filtering capacity	1.00	Depth to saturated zone	1.00
LNC2:					
LORETTO-----	60	Somewhat limited		Very limited	
		Slope	0.16	Slope	1.00
				Seepage	1.00
NORA-----	40	Somewhat limited		Very limited	
		Slope	0.16	Slope	1.00
				Seepage	1.00
LvA2:					
LORETTO-----	100	Not limited		Very limited	
				Seepage	1.00
LvB2:					
LORETTO-----	100	Not limited		Very limited	
				Seepage	1.00
				Slope	0.68
M-W:					
Miscellaneous water-	100	Not Rated		Not Rated	
MA:					
FLUVAQUENTS-----	100	Very limited		Very limited	
		Flooding	1.00	Ponding	1.00
		Ponding	1.00	Flooding	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00
MoA:					
MOODY-----	100	Very limited		Somewhat limited	
		Restricted permeability	1.00	Seepage	0.50
MoA2:					
MOODY-----	100	Very limited		Somewhat limited	
		Restricted permeability	1.00	Seepage	0.50
MoB2:					
MOODY-----	100	Very limited		Somewhat limited	
		Restricted permeability	1.00	Slope	0.68
				Seepage	0.50
NCD:					
NORA-----	65	Very limited		Very limited	
		Slope	1.00	Slope	1.00
		Restricted permeability	0.50	Seepage	0.50

Table Eng. 5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
CROFTON-----	35	Very limited Slope Restricted permeability	1.00 0.50	Very limited Slope Seepage	1.00 0.50
NMB2: NORA-----	65	Somewhat limited Restricted permeability	0.50	Somewhat limited Slope Seepage	0.68 0.50
MOODY-----	35	Very limited Restricted permeability	1.00	Somewhat limited Slope Seepage	0.68 0.50
NoC: NORA-----	100	Somewhat limited Restricted permeability	0.50	Very limited Slope Seepage	1.00 0.50
NoC2: NORA VARIANT-----	100	Very limited Restricted permeability Slope	1.00 0.04	Very limited Slope Seepage	1.00 0.50
Sx: INAVAL-----	100	Very limited Flooding Filtering capacity	1.00 1.00	Very limited Flooding Seepage	1.00 1.00
Sy: HOBBS-----	100	Very limited Flooding Restricted permeability	1.00 0.50	Very limited Flooding Seepage	1.00 0.50
ThA: THURMAN-----	100	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
ThB: THURMAN-----	100	Very limited Filtering capacity	1.00	Very limited Seepage Slope	1.00 0.68
ThC: THURMAN-----	100	Very limited Filtering capacity Slope	1.00 0.16	Very limited Slope Seepage	1.00 1.00

Table Eng. 5.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
TV:					
THURMAN-----	70	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
VALENTINE-----	30	Very limited Filtering capacity	1.00	Very limited Seepage	1.00
VaC:					
VALENTINE-----	100	Very limited Slope Filtering capacity	1.00 1.00	Very limited Slope Seepage	1.00 1.00
Vb:					
VALENTINE-----	100	Very limited Filtering capacity Slope	1.00 0.16	Very limited Slope Seepage	1.00 1.00
W:					
WATER-----	100	Not Rated		Not Rated	
Wm:					
WANN-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00
Wx:					
BARNEY-----	100	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Seepage Depth to saturated zone	1.00 1.00 1.00

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
2Hb: HOBBS-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
2Hd: HORD-----	100	Not limited		Not limited		Not limited	
2HdA: HORD-----	100	Not limited		Not limited		Not limited	
2Iz: BOEL-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited	
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too Sandy	1.00
		Seepage	1.00	Seepage	1.00	Seepage	1.00
		Too Sandy	1.00			Depth to saturated zone	0.68
2ThA: BOELUS-----	100	Not limited		Very limited Seepage	1.00	Not limited	
5ThA: THURMAN-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited	
		Too Sandy	1.00			Too Sandy	1.00
						Seepage	1.00
Be: BELFORE-----	100	Somewhat limited Too clayey	0.50	Not limited		Very limited Hard to compact	1.00
						Too clayey	0.50
BO: PSAMMENTS-----	100	Not Rated		Not Rated		Not Rated	
CfD2: CROFTON-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
CfE2: CROFTON-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
CNC2: CROFTON-----	60	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16	Somewhat limited Slope	0.16
NORA VARIANT-----	40	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04

Table Eng. 6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CND2: CROFTON-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
NORA-----	40	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96
CNE: CROFTON-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
NORA-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Cz: CASS-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
Ea: ELSMERE-----	100	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 0.68
Eb: ELSMERE-----	100	Very limited Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 1.00	Very limited Too Sandy Seepage Depth to saturated zone	1.00 1.00 0.68
Fm: FILLMORE-----	100	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
Ga: GANNETT-----	100	Very limited Depth to saturated zone Ponding Seepage Too Sandy	1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Seepage Too Sandy	1.00 1.00 1.00 0.50
GP: Pits-----	100	Not Rated		Not Rated		Not Rated	

Table Eng. 6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Ha:							
HALL-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
HaA:							
HALL-----	100	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
Hb:							
SHELL-----	100	Not limited		Not limited		Not limited	
Hd:							
HORD-----	100	Not limited		Not limited		Not limited	
HdA:							
HORD-----	100	Not limited		Not limited		Not limited	
HdB:							
HORD-----	100	Not limited		Not limited		Not limited	
HO:							
HORD-----	70	Not limited		Not limited		Not limited	
ORTELO-----	30	Not limited		Very limited Seepage	1.00	Not limited	
HSzA:							
HALL-----	70	Somewhat limited Too clayey	0.50	Not limited		Somewhat limited Too clayey	0.50
GAYVILLE-----	30	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
INT:							
Aquolls-----	100	Not Rated		Very limited Depth to saturated zone Ponding	1.00 1.00	Not Rated	
Iz:							
INAVALE-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Seepage Too Sandy	1.00 0.50
Lb:							
LAMO-----	100	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Hard to compact Depth to saturated zone Too clayey	1.00 0.86 0.50

Table Eng. 6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Le:							
LESHARA-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.86
		Depth to saturated zone	1.00	Depth to saturated zone	1.00		
Lh:							
CROFTON-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
L1B2:							
LORETTO-----	100	Not limited		Very limited Seepage	1.00	Not limited	
Lm:							
LOUP-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Seepage	1.00
		Seepage	1.00	Seepage	1.00	Too Sandy	0.50
		Too Sandy	1.00				
LNC2:							
LORETTO-----	60	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.21
		Slope	0.16	Slope	0.16	Slope	0.16
NORA-----	40	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.21
		Slope	0.16	Slope	0.16	Slope	0.16
LvA2:							
LORETTO-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.21
LvB2:							
LORETTO-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Somewhat limited Seepage	0.21
M-W:							
Miscellaneous water-	100	Not Rated		Not Rated		Not Rated	
MA:							
FLUVAQUENTS-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Ponding	1.00
		Depth to saturated zone	1.00	Ponding	1.00	Depth to saturated zone	1.00
		Ponding	1.00	Depth to saturated zone	1.00	Seepage	0.16
		Seepage	1.00	Seepage	1.00		
MoA:							
MOODY-----	100	Somewhat limited Too clayey	0.50	Not limited		Very limited Hard to compact Too clayey	1.00
							0.50

Table Eng. 6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MoA2: MOODY-----	100	Somewhat limited Too clayey	0.50	Not limited		Very limited Hard to compact Too clayey	1.00 0.50
MoB2: MOODY-----	100	Somewhat limited Too clayey	0.50	Not limited		Very limited Hard to compact Too clayey	1.00 0.50
NCD: NORA-----	65	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
CROFTON-----	35	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
NMB2: NORA-----	65	Not limited		Not limited		Not limited	
MOODY-----	35	Somewhat limited Too clayey	0.50	Not limited		Very limited Hard to compact Too clayey	1.00 0.50
NoC: NORA-----	100	Not limited		Not limited		Not limited	
NoC2: NORA VARIANT-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04
Sx: INAVAL-----	100	Very limited Flooding Seepage Too Sandy	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Too Sandy Seepage	1.00 1.00
Sy: HOBBS-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Not limited	
ThA: THURMAN-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
ThB: THURMAN-----	100	Very limited Seepage Too Sandy	1.00 1.00	Very limited Seepage	1.00	Very limited Too Sandy Seepage	1.00 1.00
ThC: THURMAN-----	100	Very limited Seepage Too Sandy Slope	1.00 1.00 0.16	Very limited Seepage Slope	1.00 0.16	Very limited Too Sandy Seepage Slope	1.00 1.00 0.16

Table Eng. 6.--Sanitary Facilities--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TV:							
THURMAN-----	70	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Too Sandy	1.00
		Too Sandy	1.00			Seepage	1.00
VALENTINE-----	30	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Too Sandy	1.00
		Too Sandy	1.00			Seepage	1.00
VaC:							
VALENTINE-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Too Sandy	1.00
		Too Sandy	1.00			Seepage	1.00
		Slope	1.00			Slope	1.00
Vb:							
VALENTINE-----	100	Very limited Seepage	1.00	Very limited Seepage	1.00	Very limited Too Sandy	1.00
		Too Sandy	1.00			Seepage	1.00
		Slope	0.16			Slope	0.16
W:							
WATER-----	100	Not Rated		Not Rated		Not Rated	
Wm:							
WANN-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Somewhat limited Seepage	0.50
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	0.44
		Seepage	1.00	Seepage	1.00		
Wx:							
BARNEY-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Depth to saturated zone	1.00
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Too Sandy	1.00
		Seepage	1.00	Seepage	1.00	Seepage	1.00
		Too Sandy	1.00				